



ABBERFIELD

INDUSTRIES

PTY LTD ABN 61 000 112 569

**COIN
VALIDATORS**

**DRIVEWAY
STANDS**

stands



ABBERFIELD INDUSTRIES PTY LTD

32 Cross Street, Brookvale, Sydney, NSW 2100 Australia

Tel: (02) 9939 2844 Fax: (02) 9938 3462

International Tel: +61-2 9939 2844 Fax: +61-2 9938 3462

Email: contact@abberfield.com.au

Internet: www.abberfield.com.au

COIN VALIDATORS

validators



SERIES 22 VALIDATORS

Sophisticated, electronic, multi-denominational validators.
Dimensions: 151mm H x 70mm W x 135mm D.

STANDARD FEATURES

- Validates up to 6 different coins or tokens.
- Fitted with display indicating coins in credit.
- Rejected coins returned to user.
- Programmable for most world currencies.
- Considerable field set adjustments such as self diagnostic feature, eliminate unwanted coins, retain or cancel credit overpay etc.
- Coin inhibit when car park is full feature.
- Optional timing circuit, display indicates time remaining.
- Operates on either 240 Volts or 12 Volts. Other voltages available.

SPECIAL PROGRAMS

A number of input/output options are available and the validator can be programmed for specific applications such as car park, car wash, coin timers etc.

These validators respond to the insertion of the correct coins or tokens by issuing an output pulse to initiate the car wash or boomgate control circuitry. Adjustable timing functions can be offered, if required for direct control of other applications, such as tennis court lighting etc.

SERIES 20 VALIDATORS

Single denominational validators.
Dimensions: 151mm H x 70mm W x 120mm D.

MODEL CS20 FP CR

A mechanically operated unit, a pulse will be given on insertion of each coin or token.

MODEL CS20F

This model will eliminate fraudulent use of washers or coins inserted on a string. The number of coins needed to output a pulse can be set from one to nine. The pulse length is also adjustable.

MODEL CS20MF

Similar to the CS20F but with additional features for specific applications (Dual output, remote display etc).



SERIES 10 VALIDATORS

Single denominational validators.
Dimensions: 240mm H x 198mm W x 89mm D.

MODEL CS10

Similar to the CS20 FP CR mechanism except that the coins are fed through the top and the unit comes with a self contained cover and cash box.

MODEL CS10F

Like the CS20F, except with top coin entry this electronic unit can be adjusted from one to nine coins for a pulse. It also has an additional timing function and comes with a self contained cover and cash box.

MODEL CS10MP

Similar to the CS10F but with additional features.



Housing accepts Series 20 & 22 coin validators.

DRIVEWAY STANDS

stands

HIGH SECURITY

DS SERIES

Logical choice for high security applications.

- Seam welded bullet proof aluminium.
- Replaceable face plate accepts a variety of Abberfield Technology pin number key pads, card readers, coin validators etc.
- Concealed wiring.
- Optional dress plate for base.
- Heavy duty epoxy coating.
- Special colours available.



DS

Without cash box. For mounting on the roadway.

DS-S

Shorter for mounting on traffic islands.

DS20/22

Includes concealed cash box. For mounting on the roadway.

DS20/22 - S


Shorter for mounting on particularly high traffic islands. Non standard - special request only.

DS20/22- HS

Similar to the DS20/22 except that the cash box is of extreme vandal resistance with 3 mini safe locks.

DS20/22 - HS-S

Shorter for mounting on particularly high traffic islands. Non standard - special request only.



MEDIUM SECURITY

RH SERIES

Security at an affordable price.

RH20/22

For mounting on a roadway. Rear access, recessed cash box. Concealed wiring. Heavy duty rectangular steel section, galvanised and powder coated.

LOW SECURITY

PS SERIES

Cost competitive.

- Concealed Wiring.
- Heavy duty epoxy coating.
- Special colours available.

PS 20/22

For mounting on a driveway.

PS20/22-S



For mounting on a traffic island.



PS series

PS20/22

PS20/22-S



ET SERIES


For control such as pin number or magnetic card input.

ET

For mounting on a roadway.

ET-S

For mounting on a traffic island.




WS SERIES

Weather Shield stand to suit Abberfield Technology's Series '10' coin units.

- Concealed Wiring.
- Optional light under hood illuminating coin entrance and label.
- Hood height adjustable on stand.
- Special colours available.

WS series



WALL MOUNTED CABINETS

wall



Model WM-RE with fascia



Model WM-RE



Model AO



Model WH

MODEL AO

Direct mounting housing for Series 20 and Series 22 units. **Dimensions: 300mm H x 76mm W x 180mm D.**

MODEL WH

Weather hood for wall mounted Series 10 units. **Dimensions: 330mm H x 200mm W x 90mm D.**

MODEL WM-RE

Wall mounted vandal resistant:

- Fits most walls- concrete block, double brick or brick cavity.
- Coin collection from rear.
- 3mm steel front panel.
- Accepts all front entry coin units.
- **WM-RE with fascia dimensions: 395mm H x 260mm W x 195mm expandable to 250mm D.**
- **WM-RE dimensions: 375mm H x 240mm W x 195mm expandable to 250mm D.**

MODEL HS-RE

High security housing for wall mounting.

- Fits most walls - concrete block, double brick or brick cavity.
- Access door from rear.
- Produced from 5mm plate steel.
- Concealed hinge.
- Heavy duty epoxy coating. Special colours available.
- Printed fascia instructions to customer specification.

